

Roll No. ....

Total Pages : 05

BCA/M-22

1882

COMPUTER ORIENTED STATISTICAL

METHODS

BCA-245

Time : Three Hours]

[Maximum Marks : 80

Note : Attempt *Five* questions in all, selecting *one* question from each Unit. Q. No. 1 is compulsory. All questions carry equal marks.

**Compulsory Question**

1. (a) The waiting time for a commutative are given below as :  
11.6, 11.3, 10.7, 18.0, 3.3, 9.2, 8.3, 3.8, 8.0  
Find the median time. 3
- (b) Define arithmetic mean, deviation and variance of a distribution. 3
- (c) A card is drawn from a well shuffled pack of playing cards (52). Find the probability that the card is a honour card (King, queen and ace cards are honour cards) ? 3
- (d) Throw that shift of origin has no effect on the coefficient of correlation ( $r_{xy}$ ) ? 3
- (e) Compute arithmetic mean of binomial distribution. 2

- (f) Differentiate forecasting and prediction in business forecasting. 2

### Unit I

2. The distribution of age of males at the time of marriage was as follows :

Age :	No. of males :
18-20	5
20-22	18
22-24	28
24-26	37
26-28	24
28-30	22

Find at the time of marriage :

- (a) Average Age  
 (b) Modal Age  
 (c) Median Age. 5,5,6
3. (a) Given distribution as :
- |     |   |    |    |    |    |    |
|-----|---|----|----|----|----|----|
| X : | 5 | 10 | 15 | 20 | 25 | 30 |
| f : | 2 | 4  | 5  | 6  | 1  | 2  |
- Calculate first four moments  $\mu_1, \mu_2, \mu_3,$  and  $\mu_4,$  about arithmetic mean  $(\bar{X})$ . 8
- (b) The arithmetic mean of two numbers is 13 and their geometric mean is 12. Find :
- (i) Numbers  
 (ii) Their Harmonic Mean. 8

## Unit II

4. (a) Let A and B be two events and probability of A,

$$P(A) = \frac{1}{2}, P(B) = \frac{1}{3} \text{ and } P(A \cap B) = \frac{1}{4}. \text{ Obtain}$$

$$P(A/B), P(A \cup B) \text{ and } P(\bar{A} \cap \bar{B}). \quad 8$$

- (b) Fit a binomial distribution for the following distribution : 8

$$\text{Value } (X_i) : \quad 0 \quad 1 \quad 2 \quad 3 \quad 4$$

$$\text{Frequency } (f_i) : \quad 28 \quad 62 \quad 46 \quad 10 \quad 4$$

5. (a) Calculate Karl Pearson coefficient of correlation for the pair of heights ( $X_i$ ) and heights ( $Y_i$ ) are as : 8

$$X_i : \quad 60 \quad 62 \quad 64 \quad 66 \quad 68 \quad 70 \quad 72$$

$$Y_i : \quad 61 \quad 63 \quad 63 \quad 63 \quad 64 \quad 65 \quad 67$$

- (b) The ranks of two attributes in a sample are as given below : 8

$$R_1 : \quad 1 \quad 2 \quad 3 \quad 4 \quad 5$$

$$R_2 : \quad 5 \quad 4 \quad 3 \quad 2 \quad 1$$

Find ranks correlation coefficient.

## Unit III

6. (a) From two regression equations : 8

$$4y = 9x + 15$$

$$25x = 6y + 7$$

Find  $r_{xy}$  correlation coefficient,  $\bar{X}$  (mean of  $X_i$ ) and  $\bar{Y}$ .

- (b) The following calculations have been made for closing prices of 12 stocks ( $X_i$ ) on Mumbai Stock Exchange on a certain day along with the volume of sales in thousands of shares ( $Y_i$ ) from these calculations :

$$\begin{aligned}\Sigma x_i &= 580, & \Sigma y_i &= 370, & \Sigma x_i y_i &= 11494, \\ \Sigma x_i^2 &= 41658, & \Sigma y_i^2 &= 17206.\end{aligned}$$

Find regression equations. 8

7. (a) Fit a straight line  $y = ax + b$  to the following data as : 8

$X_i$	:	1	2	3	4	5
$Y_i$	:	1200	900	600	200	110

- (b) Three stores  $S_1$ ,  $S_2$  and  $S_3$  each has 20 pieces of an item. The stores  $S_1$ ,  $S_2$  and  $S_3$  have 10%, 20% and 30% defective items respectively. A customer first chooses a store randomly and selects an item from the store. Find the probability of the selected item is defective. 8

#### Unit IV

8. (a) Define student  $t$ -test. What kind of hypothesis can be tested by the  $t$ -test ? 8
- (b) The life expectancy of people in India in year 1970 is expected to be 50 years. A survey was conducted in 11 regions of India and obtained :

Life in years : 54.2, 50.4, 44.2, 49.7, 55.4, 57.0,  
58.2, 56.6, 61.9, 57.5, 53.4.

Do the data confirm the expectancy at 5% level of significance. (Value of  $t$  at 5% is 2.228 for 10 degree of freedom) ? 8

9. Write notes on the following :

- (a) Chi-square ( $\chi^2$ ) test in  $2 \times 2$  contingency table 8
- (b) Analysis of variance (ANOVA). 8

